



. June 22, 2017

Re: HORTON AUTOMATICS' COMPLIANCE STATEMENT

To Whom It May Concern:

This memo shall serve to confirm that Horton Automatics' products are designed and manufactured to comply with the current edition of the following ANSI Standards:

**ANSI/BHMA A156.10-2011 American National Standard for Power Operated Pedestrian Doors**

- Automatic Sliding Door Series 2000, 2000B, 2001, 2003, 2003T
- Automatic Swing Door Series 4000, 7000
- Automatic Folding Door Series 4-4200, 4-7200

**ANSI/BHMA A156.19 American National Standard for Power Assist and Low Energy Power Operated Doors**

- Automatic Swing Door Series 4000 LE, 7000

**ANSI/BHMA A156.27 American National Standard for Power and Manual Operated Revolving Pedestrian Doors**

- Series 9000 Automatic and Manual Revolving Door Systems

Additionally, these Horton Automatics' products are designed and manufactured to comply with the applicable sections of these building codes:

- **NFPA 101 Life Safety Code**
  - Powered Doors
- **ICC/IBC International Building Code**
  - Power-operated Doors
  - Includes appropriate sections of BOCA, ICBO and SBCCI

The referenced products comply with the edition of the code or standard as is applicable at the time of manufacture. Installation and maintenance of the products in accordance with the relevant code or standard is necessary for ultimate compliance of the installed product.

Most products are listed by Intertek (ETL) for compliance to:

- **UL 325 Electrical Door, Drapery, Gate, Louver, and Window Operators and Systems**

**Various other specialty products have been tested and certified for compliance with appropriate codes as required. Contact factory for details.**

All automatic swing operators, automatic slide operators and manual ICU doors are factory tested to exceed 1 million cycles.

Submitted by:

John Cringole  
Mgr, Technical Support and Product Compliance